

**निविदा दस्तावेज/TENDER DOCUMENT**  
(नियम, शर्तें एवं ड्राइंग्स/Terms, Conditions & Drawings)

**भाग /PART-1**

**FINANCIAL BID / वित्तीय बोली**

**Proposed Interior allied Works at B/O Ghatkopar under Mumbai Sub Urban Region.**



विज्ञापन की दिनांक/ Date of Advertisement	21-03-2022
प्रस्तुत करने की अंतिम दिनांक / Last Date of Submission	11-04-2022 15:00Hrs
खुलने की दिनांक Opening Date	11-04-2022 by 15:30 Hrs
कार्य अवधि/Time Period of Work	कार्य आदेश प्रदान करने की दिनांक से 30 दिन 30 days from award of Work Order.
बयाना जमा राशि/Earnest Money Deposit	Rs.17, 000.00(Rupees Seventeen Thousand Only) DD In favour of Central Bank Of India, Payable at Mumbai, MSME Registered Vendors are Exempted from EMD. Relevant Documents to be submitted in Technical Bid.
निविदा दस्तावेज का मूल्य/Cost of Tender Document(गैर वापसी योग्य/Non Refundable)	रु./Rs.1000.00 (सेन्ट्रल बैंक ऑफ़ इंडिया के पक्ष में मांग ड्राफ्ट जो मुंबई पर देय हो/ DD In favour of Central Bank Of India, Payable at Mumbai
खुलने की दिनांक से निविदा की वैधता/Validity of Tender from the date of opening of Financial Bid.	90दिन/ days
प्रस्तुत किए जाने वाले दस्तावेज/ Documents to be provided	संबंधित पात्रता श्रेणी के अंतर्गत विक्रेताओं को पैनलबद्ध करने का पत्र जारी किया गया है/Empanelment letter issued to vendors under the respective eligibility category.
Independent External Monitor(IEM)	Mr Trivikram Nath Tiwari MAIL ID: - <a href="mailto:trivikramnt@yahoo.co.in">trivikramnt@yahoo.co.in</a> Mr.Jagadip Narayan Singh MAIL ID: - <a href="mailto:jagadipsingh@yahoo.com">jagadipsingh@yahoo.com</a>
Email for Correspondence	<a href="mailto:gadmsro@centralbank.co.in">gadmsro@centralbank.co.in</a> <a href="mailto:archmmzo@centralbank.co.in">archmmzo@centralbank.co.in</a>
संपर्क व्यक्ति का नाम /Contact person name	Mr. Satyendra Singh –Chief Manager- 022-62531239 Mr V.Amarnath –Manager, Architect.-022-40345840

**प्रस्तुतकर्ता/SUBMITTED BY:**

ठेकेदार का नाम/NAME OF CONTRACTOR :

पता/ADDRESS :

जीएसटी विवरण/GST DETAILS

Mumbai Suburban Regional Office, NCL Building Complex, 3rd Floor, Plot No 6, 'E'Block, Bandra  
Kurla Complex, Bandra (East), Mumbai-400051  
Tel No: 022-26590336, 2673, 0347  
Visit us at [http:// www.centralbankofindia.co.in](http://www.centralbankofindia.co.in)

सेन्ट्रल बैंक ऑफ इंडिया/ CENTRAL BANK OF INDIA

बिल ऑफ क्वांटिटि के लिए प्राक्कथन/PREAMBLE TO THE BILL OF QUANTITIES

प्रस्तावित कार्यालय परिसर में प्रस्तावित कार्य निविदा के आवरण पृष्ठ (पृष्ठ नं. निविदा के आवरण पृष्ठ (पृष्ठ संख्या 1) में उल्लेखानुसार करना होगा. प्रस्तावित कार्य की गुणवत्ता में सर्वश्रेष्ठ कारीगरी होना चाहिए। ठेकेदार को यह सुनिश्चित करना चाहिए कि प्रोजेक्ट के लिए सामग्री की सूची में उल्लिखित सामग्री श्रेष्ठ गुणवत्ता की हो.

The work proposed to be carried out at the proposed Office premises as mentioned on the cover page (page no.1) of the tender the quality of work proposed should have **the best** workmanship. The contractor should ensure that only the first quality materials mentioned in the list of material is purchased for the project.

1. कार्य इस तरह से किया जाए कि स्वरूप में कोई गड़बड़ न हो.

The work should be carried out in such a way that the structure is not disturbed.

2. निविदा प्रस्तुत करने से पहले विनिर्देशन में किसी भी अंतर/विसंगति को को प्रभारी इंजीनियर के साथ स्पष्ट किया जाना चाहिए। प्रभारी इंजीनियर को कार्य के दौरान मूल अवधारणा के अनुरूप एक उचित सीमा तक विनिर्देश को संशोधित करने की स्वतंत्रता होगी; निविदाकर्ता को ऐसा कार्य बिना अतिरिक्त लागत के करना होगा.

Any difference / discrepancies in the specification should be clarified with the Engineer in charge before submitting the tender. The Engineer in charge will have the liberty to modify the specification to a reasonable limit to suit the basic concept during the course of work; the tenderer should carry out such work without any extra cost.

3. किसी भी बड़े संशोधन के मामले में ऐसी वस्तुओं को अतिरिक्त मद के रूप में माना जाएगा. ऐसी मदों का भुगतान का इंजीनियरिंग दर / बाजार दर विश्लेषण के आधार पर किया जाएगा. सामग्री और श्रम की कुल लागत का 15% निविदाकर्ता के लाभ के रूप में माना जाएगा.

In case of any major modification such items will be considered as extra items. Payment for such items will be paid based on the Engineering rate / Market rate analysis. **15% of the total cost of material and labour will be considered as tenderer's profit.**

4. ठेकेदार को सुचारु कार्य प्रवाह के लिए साइट पर नियुक्त अन्य ठेकेदार के साथ समन्वय करना होगा.

The contractor should co-ordinate with the other contractors employed at the site for smooth flow of work.

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 2

**NOTE:**

**The Building is occupied by other Tenants. The work need to be carried out as per the instruction of the Bank time schedule. Further, the work needs to be carried in phase wise. The Contractor should prevent the external glazing and the flooring with plastic sheets and P.O.P. sheet respectively.**

- 1. The contractor should obtain necessary permission from the Local Municipal Authorities any Government Authority if required along with the security deposit amount, the security amount will be reimbursed to the contractor.**
- 2. The Contractor needs to clean the site on day to day basis.**

**BILL OF QUANTITIES:**

**Note:**

1. Rates to be quoted by the tenderers in the item rate tender in figures and words shall be accurately filled in, so that there is no discrepancy in the rates written in figure and in words. However, if a discrepancy is found between the rate written in figures and rate written in words then the rate which correspond with the amount worked out by the contractor shall be taken as correct.
2. If the amount of an item is not worked out by the tendered, or it does not correspond with the rate written either figures or in words, then the rate quoted by the tenderer in words shall be taken as correct.
3. Where the rate quoted by the tenderer in figures and in words tally but the amount is not worked out correctly, the rate quoted by the contractor will be taken as correct, not the amount.
4. The work need to be carried out as per the time schedule instructed by Bank.
5. All other office furniture, office equipment, flooring, false ceiling etc. to be cover with plastic sheet or required packing materials
6. Any damages done by the contractor will be recovered from the contractors.
7. Cleaning to be done on day to day basis.
8. Electrician and one supervisor should be posted in working day to avoid any office disturbance and maintain the office smoothly.

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 3

**SUMMARY OF BILL OF QUANTITIES**

*(Amount in Rupees)*

PART	DESCRIPTION	AMOUNT IN FIGURES
1.	<b>PART A:</b> LOOSE FURNITURE	Rs.
2	<b>PART B :</b> FIXED FURNITURE	Rs.
	<b>TOTAL</b>	Rs.
3	<b>ADD GST AS APPLICABLE</b>	
	<b>GRAND TOTAL</b>	
<b>(RUPEES IN WORDS):</b> _____		

**(NOTE: The above rates are inclusive of all applicable taxes but exclusive of GST and Only GST as Applicable would be paid as per actuals)**

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

## SCHEDULE TO BILL OF QUANTITIES

### PART -1 : INTERIOER AND ALLIED WORKS

#### PART A: LOOSE FURNITURE

Bill of Quantities					
S.No.	Details of works.	Quantity	Unit	Rate	Amount
	(Particulars)			(Rs.)	(Rs.)
	<b>GENERAL:</b> All Tables / counters/ work stations to have 19mm Ply block board top & sides, and apron/front modesty 12 mm comm. Ply/board .Unless otherwise specified, all external/exposed surfaces shall be provided with1.0 mm laminate finish and all internal surfaces shall be painted with white/ivory shade of satin finish enamel paint of approved make. <b>Drawer/side storage units</b> to be made from 12mm /19mm ply, with steam beach/teak wood lipping on edges. The drawers to run on telescopic drawer channels of approved make. Drawer units to have two smaller and one bigger drawers and locking arrangement (Godrej or equivalent). Foot-rest 75x50mm 2nd class cedar wood member to be fixed for each table the rate to include all hardware such as drawer channels, SS handles etc. The item also includes a tray for key board running on telescopic channel, finished with laminate on top and rounded front size 560x450 readymade EBCO make CPU trolley with castors etc. complete. In case of curved shape of table / counter, length at the centre of the top shall be measured for payment. <b>Table top fixed with glass of approved thickness on metal SS studs.</b>				
1	<b>B.M. 'S TABLE</b>	1.00	Nos.		
	Providing and fixing Branch Manager Table as per main specification but finished in 1 mm laminate in two or more colors. The table front provided with laminate on S.S				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 5

	Studs (Size 135 x 60 MM aprox.).The table size to be 6'-0" x 3'-3" x 2'-6" & storage unit 3'-0" x 2'-0"				
2	<b>OFFICER'S TABLES</b>	5.00	Nos.		
	Providing and fixing Officer/Manager Table as per main specification but finished in 1 mm laminate in two or more colors. The table front provided with laminate on S.S Studs (Size 135 x 60MM aprox.). The table size to be 5'-0" x 2'-6" x 2'-6" & storage unit 3'-0" x 1'-4"				
3	<b>SWO COUNTERS</b>	10.00	Rft		
	Providing and fixing SWO Table as per main specification but finished in 1 mm laminate in two or more colors The table front provided with laminate on S.S Studs (Size 135 x 60 mm aprox.). Counter items also includes Front modesty with 19mm Commercial ply with laminate. Drawer units to be as specified in MAIN specifications. BUT with divisions for currency as per BANK's instructions, The drawer units to have AUTOLOCKING system for drawers (Godrej). One footrest per occupant, key board tray 560x450 and CPU stand. All as per MAIN Specifications for tables. Inside of the counter & drawers shall be painted with satin finished enamel paint of approved make and ivory/white shade etc, complete to the satisfaction of Architect/Bank. The storage unit to comply to specifications as stated for officer tables. The table size to be 5'-0" x3'-1" x 2'-6" & storage unit 3'-0" x 1'-6".The counter shall have the Work top and counter top as per design similar to cash counter stated in item 4 with 300m wide granite(basic rate of granite Rs.225) adhering to specifications as stated.				
4	<b>CASH COUNTER</b>	12.00	Rft..		
	Providing and placing in position Cash Counter Table made from 19mm Commercial ply/Block Board and with 1mm laminate finish, with overall height of 1050				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 6

	mm for working counter at 750mm height made from 18mm pre-polished <b>300mm wide granite</b> over 19 mm commercial ply/block board. And customer counter at 1050 mm height made from 12mm thick beveled glass placed over 300mm high, 12mm theatrical, frosted toughened glass. Front modesty with 19mm Comm. Ply/Board finished in 1 mm laminate. The Counter to have drawer units same as mentioned in Main specifications of Tables above except the drawers to have divisions as per Bank's instructions. The counter to have 1 footrest per occupant. Item also includes a keyboard tray & C.P.U. stand of EARL Bihari make Inside of the counter & drawers shall be painted with satin finished enamel paint of approved make and ivory/white shade etc., complete to the satisfaction of Architect/Bank. <b>The table size to be 5'-3" x 3'-1" x 2'-6" &amp; storage unit 3'-0" x 1'-6"</b> .				
<b>5</b>	<b>GLASS RAILING</b>	<b>150.00</b>	<b>Sq.Ft.</b>		
	Providing and fixing 12mm Etched float glass ( straight or bent as per shape given in plan) in front of Cash Cabins and SWO with metal clamps/D brackets /S.S. Studs or Wooden supports including cut outs for passing currency as per details The edges of the glass to be polished complete with necessary cutting the holes in shape properly, grinding & polishing. The glass may be fixed in vertical or inclined position as per given drawings.				
<b>6</b>	<b>SERVER ROOM COUNTER</b>	<b>6.00</b>	<b>Rft.</b>		
	Providing and fixing Server Table including drawer units with same specifications as main table. The table size to be 6' x 5'-6" x 2'-6" (Ref Layout plan) general specifications for tables to be adhered.				
<b>7</b>	<b>STORAGE CUPBOARDS</b>				
	<b>GENERAL:</b> All storage cabinets/ low height cabinets/side racks shall have 19mm Ply/block board for box, shelves and shutters				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 7

	and 6mm ply for back. Unless otherwise specified, all external/exposed surfaces shall be provided with 1.0 mm laminate finish of approved make and design and all internal surfaces shall be painted with white/ivory shade of satin finish enamel paint of approved make. All edges of ply/block board shall have 25x12mm teak wood/ steam beach lipping. The cabinet shall have self-closing hinges, <b>(Godrej, Ebco, Hettich), SS handles, magnetic catchers, godrej /equivalent locks etc.</b> complete - as/drawing details to the satisfaction of Architect. <b>The front area of cabinet i.e. length x height shall be measured for payment.</b>				
<b>a</b>	<b>FULL HEIGHT CABINETS</b>	<b>400</b>	<b>Sft</b>		
	Providing & fixing box fill height cupboards 400/450mm deep & height 2100/2400 mm as per main specifications mentioned above.				
<b>b</b>	<b>LOW HEIGHT STORAGE CABINETS (INCL. B.M.' CABINET)</b>	<b>80</b>	<b>Sft.</b>		
	Providing & fixing low height cupboards 400/450mm deep & height 750/900 mm as per main specifications mentioned above.				
<b>8</b>	<b>SIDE RACKS</b>	<b>60</b>	<b>Sft.</b>		
	Providing & fixing side racks 400/450mm deep & height 750/900 mm as per main specifications mentioned above.				
<b>9</b>	<b>DAFTARI TABLE</b>	<b>1</b>	<b>Nos</b>		
	Sub staff unit made of 18mm plywood structure and 2 numbers of drawers, finished with 1mm tk laminate on exposed surfaces and teakwood beadings with all hardware and accessories etc. Unexposed surfaces finished with enamel paint with edge beadings neatly polished. Size : 5'0"x2'0"x2'6"				
<b>10</b>	<b>WRITING DESK</b>	<b>1.00</b>	<b>Nos.</b>		
	Providing and fixing writing desk, using 10 mm bevelled clear glass top over 19 mm ply base +1mm Laminate on all exposed surfaces of ply ,with pigeon holes of 6"x6" to keep slips, approx. size 4'0" x 1'6" x 0"8" ,				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 8



	to be fixed at 3'6" height				
<b>11</b>	<b>DROP BOX/COMPLAINT BOX</b>	<b>2.00</b>	<b>Nos.</b>		
	Size 3'3"L X1'0"Wx 2'6' H , to be made from 19mm thick MR Grade plywood and finished with 1 mm thick laminate outside, with steam beach/teak wood border/lipping on exposed edges as per design and drawing and inside shall have enamel paint. The drop box will have 3 internal (vertical) divisions for Local, Out station and Credit card payment cheques etc. with 3 open able shutters on front with lock. Front / Top shall have 3 nos. 6" long x 1" wide slits to drop letter / cheque etc.				
<b>12</b>	<b>NOTICE BOARD /BRAND WALL</b>	<b>150</b>	<b>Sq.Ft</b>		
	Providing & fixing on partition/ walls soft pin-up board as per following specification. Core material of 10mm thick soft board finished with approved fabric. Framed with teak wood of section 2"x1.5", Approx. board size 4'x2'-6".				
<b>13</b>	<b>MISCELLANEOUS WORK</b>				
<b>a</b>	<b>VERTICAL BLINDS</b>	<b>120</b>	<b>Sq.Ft.</b>		
	Providing & fixing as per approved sample 100mm wide vertical fabric blinds complete with handing chain. Sliding and tilting system in drawn position. Fabric veins to overlap by minimum 10mm (every 1.0 metre running length to have at least 11 Nos. 100mm wide fabric veins). Length of the blinds as mentioned in drawings bottom end to be at least 12mm from horizontal surface. Fabric strip, as that of fabric vein, to be fixed on both sides of aluminium top channel. Lower ends of blind to be weighed down and tied with each other on both corners, with ball chains. Item to be complete in all respects including fixing with bracket on wall or partition with raw plugs.				
<b>b</b>	<b>FROSTED FILM</b>	<b>200</b>	<b>Sq.ft</b>		
	Supply of frosted film in approved designer pattern over glass as per design to manufactures specification and engineer in				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 9

	charge instructions.				
c	<b>VINYL GRAPHICS AND ONE WAY STICKERS</b>	<b>320</b>	<b>Sq.Ft</b>		
	Supply and fixing of vinyl graphics on solid partitions/pained surface with required adhesives and cleansers. Finishing entrance wall and side walls made of glass with high resolution graphics pictorial graphics as per instructions.				

**TOTAL FOR PART A LOOSE FURNITURE**

(RUPEES \_\_\_\_\_ ONLY)

**PART B –FIXED FURNITURE**

Sno	Details of works.	Quantity	Unit	Rate	Amount
01	(Particulars)			(Rs.)	(Rs.)
	<b>GENERAL :For Partitions :</b> All partitions shall have a frame work of saal / kail/chill wood size 50x35 or 50x50 mm at spacing not exceeding 600mm c/c in both directions as per requirement with 6mm ply on both faces including grooves, with / without 1mm thick laminate of approved make and design, up to 750/900/1200/1500/2100/2400mm height and clear transparent/frosted/etched glass of 5/9mm thickness shall be provided above the height of 750/900mm as per drawings and details . Vertical members for framing shall be continuous/ one piece i.e. without joint. The rate to include provision of extra frame work as necessary for skirting and making cut outs for electrical switch plates, switch boxes, light fittings light etc, making provision for laying conduit as per drawings and directions of site Eng. / Architect. All wood frame work to be applied with 2 coats of fire retardant paint and 1 coat of wood preservative with anti-termite properties. The work also includes doors with door closers /flap doors as per requirements along with all locks (Godrej or equivalent)				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 10

	<p>Handles, Hinges, stoppers etc. as per bank's architect instructions Measurement of height shall be taken from finished floor level up to the bottom level of false ceiling, In case of varying heights on either side of partition, average heights shall be considered.</p> <p><b>For panelling :</b> All panelling shall have a frame work of saal / kail/chill wood size 50x25 or 50x35 mm at spacing not exceeding 600mm c/c in both directions as per requirement with 12mm ply on both faces including grooves, with / without 1mm thick laminate of approved make and design, up to 750/900/1200/1500/2100/2400mm height . Vertical members for framing shall be continuous/ one piece i.e. without joint. The rate to include provision of extra frame work as necessary for skirting and making cut outs for electrical switch plates, switch boxes, light fittings light etc, making provision for laying conduit as per drawings and directions of site Eng. / Architect. <b>All wood frame work to be applied with 2 coats of fire retardant paint and 1 coat of wood preservative with anti-termite properties. The panelling may also include apprx. 1'6" x2'6"size soft board/s with melamine polished steam beach/ teak wood border &amp; fabric for display of notices etc.as shown in drawing. Measurement of height shall be taken from finished floor level up to the bottom level of false ceiling, In case of varying heights on either side of partition, average heights shall be considered.</b></p>				
<b>a</b>	<b>LOW HEIGHT PARTITIONS</b>	<b>100</b>	<b>Sq.Ft.</b>		
	<p>Providing and fixing Low height partition from floor level up to the 1220 /1530mm as per main specifications mentioned above.1.0mm thick laminate of approved make and design to be fixed on both faces over 6mm thick ply. Partition to have a 75x20 mm th. melamine polished cedar/steam beach/teak wood molding on top and side edges of partition.9</p>				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 11

	<b>mm thick plain/etched glass above 900 mm height</b> in taper or curved shape as detailed shall be fixed with steam beach/ teak wood beading of 25x12 size., complete with polishing/paining the grooves as per design and to the satisfaction on Architect / Bank. The low height partitions shall include <b>flap doors</b> with required hardware and fittings. The partition shall also include apprx.2'0"x 1'6" <b>size soft board/s with fabric for display of notices etc.as shown in drawing.</b>				
<b>b</b>	<b>PARTLY GLAZED PARTLY LAMINATED WOODEN PARTITION</b>	<b>300</b>	<b>Sq.Ft.</b>		
	Providing and fixing partly Glazed Partition partly laminated wooden as per main specifications mentioned above up to bottom of false ceiling. Item also includes 5mm clear <b>transparent Etched Glass above 900 mm to 2100 mm</b> fixed in 35x20 mm cedar/steam beach/teak wood beading fixed around opening finished with melamine matt finish polish. Rest of specifications same as MAIN specifications of Partitions. etc. complete to the satisfactions of Architect/ Bank.				
<b>2</b>	<b>FULL HEIGHT , BOTH SIDES LAMINATED</b>	<b>320</b>	<b>Sq.ft</b>		
	Providing and fixing partition from floor level up to the level of false ceiling as per main specifications mentioned above, including 6 mm thick ply + 1mm thick laminate of approved make and design ,to be fixed on both sides, including grooves , the exposed cedar/steam beach/teak wood surfaces with melamine polish as per design etc. complete and to the satisfaction of Architect/bank.				
<b>3</b>	<b>PANELING AROUND COLUMNS/WALLS</b>	<b>700</b>	<b>Sq.Ft.</b>		
	Providing and fixing wall panelling as per design & pattern with 50x25mm Kail/ Saal wood frame at 2'-0" c/c in both directions with 12mm Commercial ply on top and finished with 1.0 mm laminate. Over the panelling 1'6" x2'6"size soft board/s with melamine polished steam beach/ teak wood border of size as specified by the architect & fabric for display				

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 12

	of notices etc.as shown in drawing. Also at top, middle and bottom level a decorative border of melamine polished, 100x25/75x25 size cedar / steam beech as per design and details shall be fixed.				
<b>4</b>	<b>DOOR TREATMENT</b>	<b>00</b>	<b>Sq.Ft.</b>		
	Providing and applying on one or both sides of existing doors 1mm thick laminates matching the interior as per designs/patterns given , including teak wood/ steam beech lipping, making an opening in the door and fixing 4-5 mm thick glass with appropriate beading, painting/ polishing all exposed surfaces as directed. The item also includes provided necessary hardware's such as S.S. hinges, stoppers, doorstop, handles, mortise locks, door closers etc. complete		<b>Rate Only</b>		
<b>5</b>	<b>ENTRANCE DOOR (incl. Floor Spring)</b>	<b>112</b>	<b>Sq.Ft.</b>		
	Providing and fixing glass door for entry with 3" X 3" beach frame wood work duly fixed with the partition/wall with hold fast duly polished. A white beach wood frame work size 6" X 2" as top and bottom rail with a decorative handle of 600mm of approved brand, floor spring, Locks, etc., all complete. 4" X 2" thick stiles to be fixed on the frame 3 sides. 12mm thick etched glass and Central bank logo frosted design with necessary and blasting/granular blasting to be provided and edge should be machine bevelled polished. The work to be completed as per design and specification of the Architect all complete. The wooden portion to be duly melamine polished. by the architect. The door shall be inclusive of and fixed on floor spring of ISI approved make such as Godrej/Everest / Everite / Efficient Gadget etc. complete.				
<b>6</b>	<b>Wooden frame GLASS PARTITION</b>	<b>112</b>	<b>Sq.Ft.</b>		
	<b>NOTE:</b> Quantity to include full height glass part ion on the entrance. compiling to specifications as in item 6				
<b>7</b>	<b>PAINT WORK</b>				
<b>a</b>	<b>Acrylic Emulsion Paint</b>	<b>6000</b>	<b>Sq.ft</b>		

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 13

	Painting two or more coats with acrylic emulsion paint of Asian (Royale), I.C.I. (Velvet Touch) brand, or equivalent to give an even shade, including one or more coats of lime/cement based putty and primer, on the walls of banking hall, manager's cabin, meeting room, server room etc. Surface to be cleaned, sanded, levelled and repaired, on old and new work.				
<b>b</b>	<b>Synthetic Enamel Paint</b>	<b>400</b>	<b>Sq.ft</b>		
	Painting two or more coats with synthetic enamel paint of approved brand, shade & manufacture to give an even shade including one or more coats of putty and primer. Surface to be sand paper cleaned and prepared; on inside of rolling shutters, grills, etc., on walls/partitions/furniture as directed by the architect/bank.				
<b>c</b>	<b>Synthetic Enamel Paint With Logo</b>	<b>200</b>	<b>Sft</b>		
	Painting two or more coats with synthetic enamel paint of approved brand, shade & manufacture to give an even shade including one or more coats of putty and primer. Surface to be sand paper cleaned and prepared; on outside of rolling shutters with design/ logo of Bank, painted as directed by the architect/bank.				
<b>d</b>	<b>APEX PAINT OUTSIDE</b>	<b>500.00</b>	<b>Sq.ft</b>		
	Painting two or more coats with acrylic based exterior paint of approved brand & manufacture (apex or equivalent), with given colour scheme to give an even shade including one or more coats of suitable putty and primer. Surface to be sand paper cleaned and prepared; on outside of building walls, as directed by the architect/bank.				
<b>e</b>	<b>Distemper Paint</b>	<b>500</b>	<b>Sq.ft</b>		
	Painting three or more coats of dry distemper paint of approved brand & manufacture to give an even shade on old and new work.				
<b>8</b>	<b>ANTI -STATIC PVC CARPET IN SERVER ROOM</b>	<b>100</b>	<b>Sft.</b>		
	<b>Providing &amp; Laying blended marble anti-static</b>				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 14

	vinyl tiles of Tuskar make with 1mm thick flooring of homogeneous in colour, design and as per manufacturer's specifications and pattern as per details given by Architect/Bank.				
9	<b>FALSE CEILING :</b> Providing and fixing in position suspended false ceiling consisting of the following G.I. sections manufactured by M/s. India Gypsum Ltd.  Vertical suspenders of angle section, peripheral channels, primary and secondary frame work at centre to centre distance of 450mm to 600 mm center to center and C channel to be fixed with top R.C.C. ceiling as per the site requirement and minimum distance of 900mm center to center and all as per the India Gypsum Technical Specification maximum of 'C' channels, the suspenders to be fixed with the ceiling with the help of angle cleats and expansion bolts. The peripheral channels to be screwed to the wall with the help of metal screws, the junction of peripheral channels and primary / secondary channels to be screwed with suitable metal screws. The junctions of primary and secondary channels to have G.I. clips.  Providing and fixing 12 mm thick double skin gypsum board manufactured by M/s. India Gypsum Ltd. to the frame work with the help of suitable screws in line and level. The item also includes providing false ceiling in stepped design. The joints of the boards to be finished with bonding paper. Providing and applying 2 coats of gypsum primer to the entire surface and finish the same with putty work etc. so as to be ready to receive paint. The false ceiling will be in stepped design. The actual visible area will be measured and paid.  <b>This item includes necessary cut out for the electrical and other service.</b>	950	SFT		

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 15

10	<b><u>GYPSUM DROP CEILING</u></b>	600	SFT		
	As per design with vertical drops and curves. Specification of item no 9 to be adhered.				
11	<b><u>GRID CEILING:</u></b>	1000	SFT		
	<p>ARMSTRONG CEILINGS – ALY-IN PERFORATED MICROLOOK EDGE METAL TILE WITH ACCOUSTICAL FLEECE WITH XL 15MM GRID</p> <p>Providing and fixing in Armstrong mineral Fibre Acoustical Suspended Ceiling with ULTIMA (MICRO LOOK) EDGE TILES WITH ARMSTRONG SILHOUTETE EXPOSED GRID.</p> <p>The tiles should have Humidity Resistance (RH) of 95% NRC 0.75, Light reflectance 90%, Thermal Conductivity K=0.57, w/m.K, Sound Attenuation of 37 DB, Colour White, Fire Performance A2-sl.d0 in module size 600 x 600 x19mm with Bio Block coating on the face of the tile, suitable for Green Building Application with Recycled content of 70-80%.</p> <p>The tile shall be laid on Armstrong Silhoutte profile grid System with 15mm white flanges incorporating a 6mm central reveal in white/black color. Silhouette, Main runner &amp; Cross Tees to have mitred ends and birds mouth notches to provide mitred cruciform junctions. The T Sections have a Galvanizing of 120 grams per M2.</p> <p><b><u>INSTALLATION</u></b></p> <p>To compromise main runner spaced at 1200mm centre securely fixed to the structural soffit using Armstrong suspension system (Specifications below) at 1200mm maximum centre and not more than 150mm from spliced joints. The First/Last Armstrong suspension system at the end of each main runner should not be interlocked between main runners at 600 mm centre to form 1200 x 600 mm module. Perimeter trim to be Armstrong wall</p>				

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 16



<p>angles, secured to walls at 450mm maximum centre.</p> <p><b><u>ARMSTRONG SUSPENSION SYSTEM:</u></b></p> <p>Accessories manufactured and supplied be Armstrong World Industries consisting of M6 Anchor Fasteners with vertical Hangers made of Galvanized Steel of size 26 x 26x 25x 1.2mm with a Galvanized Thickness of 80grm/Sq.m, A per straightened Hanger wire of dia-2.68mm of 1.83m length, thickness of 80g/sq.m and tensile strength of 344-413 MPa, along with adjustable hook clips of 0.8mm thick galvanized spring steel for 2.68 with minimum pull strength of 110Kg. The adjustable clip also consist of a 3.5mm aquiline wire to be used with the main runner-2.68mm of 1.823m length, thickness of 80g/sq.m and tensile strength of 3434-413 MPa , along with adjustable hook clips of 110 kg.Teh adjustable clip also consist of a 3.5mm aquiline wire to be used with the main runner. All complete as per drawing and details &amp; direction of Engineer-in-charge.</p> <p>The item includes providing necessary electrical, AC and other service cut out etc</p>				
<b>TOTAL FOR PART B :FIXED FURNITURE</b>				
(RUPEES _____ONLY)				

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

Page 17

**Confirmation of Acceptance of Tender terms and conditions**

(To be signed by the bidder and enclosed along with their offer in a separate envelope)

We have studied the terms and conditions of Tender Enquiry including General and Special terms and conditions, the specifications, lay-out drawings, Schedule of Quantities, Commercial terms and conditions, Approved Makes, etc.

We are accepting all terms and conditions of the Tender without any deviation.

Offer with any deviations from the Tender Enquiry are likely to be rejected.

We also understand that the order / s will be placed in the name of principals only and not in the name of their dealer/s. Our quotation is based on the above.

**Date:** \_\_\_\_\_

**SIGNATURE OF TENDERER**

**WITH RUBBER STAMP**

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP

### **DECLARATION**

**I / We hereby declare that I / We have read and understood the Terms and Conditions of the contract, Specifications, Drawings, and Schedule of Quantities etc. and hereby agree to abide by them. In token thereof, I / We have signed below and at the end of the Schedule of Quantities, failing which the tender is liable to be rejected.**

**I / We understand that our Tender will not be considered if the rates for items are not written both in FIGURES and WORDS.**

**I / We hereby confirm that only the relevant entries asked for, have been made within the Tender documents issued to us. I / We also confirm that in the event of any entry in this Tender document other than the relevant entry or condition shall make this Tender invalid.**

**Date : \_\_\_\_\_**

**SIGNATURE OF TENDERER**

**WITH RUBBER STAMP**

---

रबर की मोहर सहित निविदाकर्ता के हस्ताक्षर

SIGNATURE OF TENDERER WITH RUBBER STAMP