

<b>CLIENT : CENTRAL BANK OF INDIA</b>	
<b>PROJECT: - PROPOSED FURNISHING WORK OF RSETI AT NIMBLAK AHMEDNAGAR.</b>	
<b>ARCHITECT'S ESTIMATE - LOOSE / FIXED FURNITURE WORKS</b>	
<b>Sr.</b>	<b>DESCRIPTION</b>
1	SUPPLYING & FITTING THE 3 SEATER CHROME PLATED STEEL CHAIRS FOR VISITORS OF SIZE 1800(L) X 670(W)X 785(H) MM. SEAT BACK SHOULD BE POWDER-COATED PERFORATED SHELL MADE FROM COLD ROLLED M.S. SHEET. THE SIDE BAR SHOULD BE MADE UP OF CHROME PLATED SOLID STEEL. THE SHELL SHOULD BE ASSEMBLED ON THE CROSS BEAM WITH HELP OF BOLTS. SUFFICIENT NO. OF BOLTS SHOULD BE USED TO FASTEN SHELL ON CROSS BEAM.(CHARMI / GODREJ/ DURIAN/APPROVED EQUIVALENT)
2	PROVIDING AND SUPPLYING THE <b>BUNK BED</b> WITH 1 X1 INCH STEEL SQUARE FOLDING PIPE OF 18 GUAGE WITH STEEL HINGES. THE TOP OF THE BED IS MAKE OF 19 MM THICK BWP PLY BOTH SIDE 1MM THK LAMINATE FINISH. THE INSIDE PORTION IS TO BE PROPERLY PAINTED WITH ONE COAT OF METAL PRIMER AND TWO COATS OF LUSTER FINISHED SYNTHETIC ENAMEL AS APPROVED SHADE .THE BED IS TO BE MADE WITH APPROX DIMENSIONS (2000(L) X 762(W)X 1590(H) MM) ( EXCLUDING 100 MM THK MATTRESS)
3	PROVIDING AND SUPPLYING THE <b>DINING TABLES &amp; CHAIRS</b> (CHARMI / GODREJ / APPROVED EQUIVALENT) MADE OF POWDER COATED STEEL 0.8MM THICK (BLACK COLOR) & TABLE TOP MADE OF 25 MM THICK MR PLY WITH 1MM THK LAMINATE ON EITHER SIDE WITH PVC BEADING EDGE. THE ABOVE ARE INCLUDING ALL MATERIALS LABOUR. COMPLETE.
A.	<b>6 Seater Dining Table: L—1524 X W—939 X H—736</b>
B.	<b>4 Seater Dining Table: L—939 X W—939 X H—736</b>

4	<p>PROVIDING AND SUPPLYING THE CHAIRS MADE OF POWDER COATED STEEL 0.8MM THICK (BLACK COLOR) WITH FABRIC/ REXIN SEAT &amp; BACK REST AS PER DESIGN.</p> <p>DINING CHAIR :- STAINLESS STEEL CHAIR: W—380 X D—390 X H—900</p>
5	<p>PROVIDING AND SUPPLYING <b>SINGLE BED MATTRESS WITH ONE PILLOW</b>  COVER MATERIAL: POLY COTTON, COMFORT MEDIUM FIRM,  FILLING MATERIAL :THICKNESS 100MM ( SLEE PWELL/ DUNLOP/ APPROVED EQUIVALENT) AS PER SPECIFICATIONS. THE TOTAL COST INCLUDES 100MM THK MATTRESS CONSIST OF RUBBERISED COIR OF 44 MM THK.100 % LATEX RUBBER FOAM OF APPROPRIATE QUALITY INCLUDING QUILTED FABRIC COVER TO MATTRESS.</p>
A.	MATTRESS APPROX SIZE-(1828(L) x 914(w)
B.	MATTRESS APPROX SIZE-(1828(L) x 762(w)
6	<p>PROVIDING AND SUPPLYING <b>DOUBLE BED MATTRESS WITH TWO PILLOW</b>  COVER MATERIAL: POLY COTTON, COMFORT MEDIUM FIRM,  FILLING MATERIAL :FOAM HEIGHT 100MM ( SLEE PWELL/ DUNLOP/ APPROVED EQUIVALENT) APPROX SIZE - 1676(L) X 1828(W)THE TOTAL COST INCLUDES 100MM THK MATTRESS CONSIST OF RUBBERISED COIR OF 44 MM THK.100 % LATEX RUBBER FOAM OF APPROPRIATE QUALITY INCLUDING QUILTED FABRIC COVER TO MATTRESS..</p>

7	<p>SUPPLY OF <b>DIRECTOR'S TABLE</b> MADE BY 25MM THICK MR PLY &amp; 1 MM THICK APPROVED LAMINATE TOP . THE TOP SHALL BE SUPPORTED ON THREE SIDES ON 18MM THICK PRE LAMINATED BOARD DULY FINISHED BY 1 MM LAMINATE.PEDESTAL SHALL BE 3D( 2D +1FD) OF SIZE 400X495X702 MM FABRICATED ALL SIDES BY 18MM THICK MR PLY &amp; 1 MM THICK APPROVED LAMINATE, EXCEPT THE BACK SHALL BE 9MM THICK.</p> <p>SIDE UNIT SHALL BE 750X400X750MM FABRICATED ALL SIDES BY 18MM THICK MR PLY &amp; 1 MM THICK APPROVED LAMINATE ALL SIDES BUT BACK SHALL BE 9MM THICK MR PLY &amp; 1 MM THICK APPROVED LAMINATE.</p> <p>SIZE OF TABLE : 1800X750X750MM (WITH PEDESTAL) &amp; SIDE UNIT 1220X600X450MM,</p>
8	<p>SUPPLY OF HIGH BACK REVOLVING DIRECTOR'S CHAIR WITH GAS HEIGHT ADJUSTMENT , CENTRE TILTING, SINGLE LOCKING ARRANGEMENT AND PU ARM REST, WITH APPROVED FABRIC. MAKE : (CHARMI / GODREJ / DURIAN / APPROVED EQUIVALENT)</p>
9	<p>SUPPLY OF MEDIUM BACK REVOLVING CHAIR WITH GAS HEIGHT ADJUSTMENT, CENTRE TILTING, SINGLE LOCKING ARRANGEMENT AND PU ARMREST, WITH APPROVED FABRIC. MAKE : (CHARMI / GODREJ / DURIAN / APPROVED EQUIVALENT)</p>
10	<p>CENTRE TABLES (900MM X 600MM X450MM HEIGHT) .PROVIDING &amp; ARRANGING CENTER TABLES MADE OUT OF TEAK WOOD MEMBERS 50MM X 75MM WITH PROPER JOINERY &amp; HARDWARE AS PER DRG..ALL WOODWORK TO BE FINISHED WITH 3 COATS OF MELAMINE POLISH.THE TOP TO BE FINISHED WITH 12 MM THK.TINTED TOUGHENED GLASS WITH BEVELLED EDGES.COMPLETE.</p>
11	<p>SUPPLYING AND FIXING OF WHITE BOARD NON MAGNETIC TYPE WITH ACRYLIC LOCKABLE SHUTTER OF SIZE 1500X1200MM OF APPROVED MAKE.</p>

12	LOCKER CABINET HAVING UNITS (APPROX.SIZE1140X450X1850MM) MATERIAL - MILD STEEL POWDER COATED FINISH.( EACH UNITS WITH 15 LOCKERS)
13	DISPLAY BOARD/ NOTICE BOARD NON MAGNETIC TYPE OF SIZE 900MMX600MM (ALUMINIUM FRAME) AS PER DESIGN.
14	RACK FOR BOX FILE MATERIA MILD STEEL. APPROX SIZE (450 X 1800) POWDER COATED FINISH.
15	SUPPLY OF LOW BACK CHAIR AND PU EACH WITHOUT ARMREST, WITH APPROVED FABRIC. MAKE : (CHARMI / GODREJ / DURIAN / APPROVED EQUIVALENT)

16

**SINGLE BED** - APPROX .(1828(L) x 914(w)x 450(h) MM PROVIDING & FIXING IN POSITION BED UNITS HAVING WOODEN FRAME MADE OUT OF 25MM X 25 MM (3 MEMBERS ON EITHER SIDE) COVERED WITH 12 MM THK MR PLY WITH 1 MM THK LAMINATE,AS PER DETAILED DRG.SIDES TO BE MADE OUT OF 19 MM THK MR PLY & ALL AROUND FINISHED WITH 1MM THK LAMINATE ON ALL EXPOSED PLY SURFACES.ALL WOODWORK TO BE FINISHED WITH 3 COATS OF MELAMINE POLISH.RATE INCLUDING COST OF EDGE BEADING & MOULDINGS MADE OUT OF FIRST QUALITY MATCHING WOOD AS INDICATED IN DRG.THE ENTIRE BED FRAME TO BE SUPPORTED ON 4 NOS.VERTICAL SHAPED LEGS OF SIZE 100 X 75 MM MADE OUT OF MATCHING WOOD WITH 3 COATS OF MELAMINE POLISH.ALL INTERNAL WOODEN MEMBERS/PLY SURFACE WORK TO BE FINISHED WITH FRENCH POLISH. INCLUDES HEADBOARD OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE, & WOODEN EDGE/DESIGN BANDS AS PER DESIGN.ALL EXPOSED SURFACES TO BE FINISHED WITH 3 COATS OF MELAMINE POLISH INCLUDING WOODEN PLANKS DESIGN , LIPPINGS,BEADINGS, INLAY BANDS & MOULDINGS AS PER DRAWINGS.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.

17	<p><b>DOUBLE BED</b> -: 1828(L) X 1676(W)X 450(H) MM PROVIDING &amp; FIXING IN POSITION BED UNITS HAVING WOODEN FRAME MADE OUT OF 25MM X 25 MM (3 MEMBERS ON EITHER SIDE) COVERED WITH 12 MM THK MR PLY WITH 1 MM THK LAMINATE,AS PER DETAILED DRG.SIDES TO BE MADE OUT OF 19 MM THK MR PLY &amp; ALL AROUND FINISHED WITH 1MM THK LAMINATE ON ALL EXPOSED PLY SURFACES.ALL WOODWORK TO BE FINISHED WITH 3 COATS OF MELAMINE POLISH.RATE INCLUDING COST OF EDGE BEADING &amp; MOULDINGS MADE OUT OF FIRST QUALITY MATCHING WOOD AS INDICATED IN DRG.THE ENTIRE BED FRAME TO BE SUPPORTED ON 4 NOS.VERTICAL SHAPED LEGS OF SIZE 100 X 75 MM MADE OUT OF MATCHING WOOD WITH 3 COATS OF MELAMINE POLISH.ALL INTERNAL WOODEN MEMBERS/PLY SURFACE WORK TO BE FINISHED WITH FRENCH POLISH. INCLUDES HEADBOARD OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE, &amp; WOODEN EDGE/DESIGN BANDS AS PER DESIGN.ALL EXPOSED SURFACES TO BE FINISHED WITH 3 COATS OF MELAMINE POLISH INCLUDING WOODEN PLANKS DESIGN , LIPPINGS,BEADINGS, INLAY BANDS &amp; MOULDINGS AS PER DRAWINGS.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.</p>
18	<p>TABLE ARM CHAIR: PROVIDING AND FIXING OF WRITING CHAIRS MADE UP OF 25 MM DIA TABULAR STEEL FRAME WITH SEAT AND BACK CUSHIONED WITH 25MM THICK POLYURETHANE FOAM 40 DENSITY OVER 12 MM THICK HOT PRESSED PLY AND UPHOLSTERED WITH CLOTH OF HIGH QUALITY THE WRITING FLAP OF 18MM THICK PRE- AMINATED BOARD FOXED ON GUIDE BRACKET SLIDING ON CIRCULAR ROD PROVIDED ON THE RIGHT HAND SIDE OF THE MAIN FRAME HAVING STEEL WIRE SHELF BELOW THE SEAT COMPLETE AS PER MANUFACTURER SPECIFICATIONS.</p>

19	<p>BED SIDE TABLES (600X450X400) : PROVIDING &amp; FIXING BED SIDE TABLES (INCLUDING WALL PANEL TO MATCH &amp; IN LINE WITH HEAD BOARD FINISH) MADE OUT OF 19 MM THK PRE LAMINATED PARTICLE BOARDS FOR TOP,SIDES &amp; BOTTOM,BACK WITH 6 MM THK PRE LAMINATED PARTICLE BOARDS. ALL AROUND FINISHED WITH 1MM THK LAMINATE ON ALL EXPOSED PLY SURFACES.ALL WOODWORK TO BE FINISHED ITH 3 COATS OF MELAMINE POLISH.ALL INTERNAL (EXCEPT INTERNAL SURFACES OF DRAWERS WHICH WILL BE FINISHED WITH 1 MM THK.WHITE LAMINATE .) SURFACES TO BE FINISHED WITH FRENCH POLISH.</p> <p>ALL DRAWERS TO HAVE APPROVED TELESCOPIC SLIDING DRAWER FITTINGS. ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,LOCK,HINGES, SS HANDLES,TOWER BOLTS,BALL CATCHES, WOODEN FINISH 2MM THK LIPPING,BEDDING,INLAY PATTI &amp; MOULDING ETC. SIZE OF BED SIDE TABLE 600MM X 450MM X 400MM HEIGHT.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.</p>
20	<p><b>LOW HIGHT STORAGE</b>-PROVIDING &amp; ERECTING VERTICAL STORAGE 1'-4" DEEP MADE OUT OF 18MM THK MR PLY FRAME WORK FOR SIDES, TOP &amp; BOTTOM, SHELVES (1'-9" C/C), VERTICALS &amp; SHUTTER MADE OUT OF 18MM THICK BWP-710 PLY SHUTTERS WITH NECESSARY C.P.T.WOOD SECTIONS AS PER REQUIRED FOR STORAGE.ALL EXPOSED SURFACES SHALL BE FINISH WITH 1.00MM THICK APPROVED COLOR SOLID CORE LAMINATE AND INTERNALLY 0.8MM THK LAMINATE INCLUDING BRASS HINGES, 9"BRUSH FINISH STAINLESS STEEL / HANDLES, 6" TOWER BOLTS MAGNETIC CATCH ETC.COMPLETE AS PER DETAIL DRAWING &amp; INSTRUCTIONS OF THE ARCHITECT / BANK.</p>

21

**STAFF TABLE-(1800(L)X914(W)X750(H))** PROVIDING & FIXING TABLE MADE OUT OF 18MM THICK MR PLY 304 GRADE FRAME WORK & NECESSARY 2" X 2" & 2" X 1 1/2" C.P.T.WOOD SUPPORTS & BEDDING PATTI AS REQUIRED / SHOWN IN THE DETAIL DRAWING..THE TABLE SHALL HAVE 1'-6" WIDE DRAWER UNIT WITH TWO DRAWERS AND ONE SHUTTER BELOW THE DRAWERS ONE DRAWER FOR KEY BOARD AT THE CORNER OF THE TABLE.THE FRONT APRON SHALL BE MADE IN 12MM THK MR PLY 304 GRADE COVERED WITH ADDITIONAL 4" X 12MM THK MR PLY 304 GRADE FINISH WITH 1.00MM THICK APPROVED SHADE / MAKE/LAMINATE AS SHOWN IN DETAIL DRAWING OR AS PER BANKS STANDARD DESIGN.ALL THE EXPOSED SURFACES OF THE TABLE SHALL BE FINISH IN 1.00MM THICK APPROVED COLOR LAMINATE & INSIDE SURFACES FINISH WITH 0.9MM THK LAMINATE ALONG WITH APPROVED BRUSH FINISH STAINLESS STEEL HANDLES, BRASS BALL CATCHES, BRASS LOCKS, FOOT REST MADE OUT OF 12MM THK MR PLY 304 GRADE TAPERED BOX FINISH WITH RUBBER MATTING, BRASS POWDER COATED WIRE MANAGER, TWIN TELESCOPIC DRAWER FITTINGS, CPU METAL STAND WITH CASTERS, NECESSARY TEAK WOOD ROUND 2" MOULDING ETC. COMPLETE AS PER INSTRUCTIONS OF THE ARCHITECT.

22	<p><b>RECEPTION TABLE</b> - ( 1500(L)X 650(W)X 750 - 1150(H)) PROVIDING &amp; FIXING RECEPTION DESK MADE OUT OF TEAK WOOD MEMBERS &amp; 19 MM THK MR PLY WITH 1 MM THK LAMINATE WITH PROPER JOINERY &amp; HARDWARE AS PER DRG..ALL WOODWORK TO BE FINISHED ITH 3 COATS OF MELAMINE POLISH.THE TOP TO BE FINISHED WITH 1 MM THK.LAMINATE. ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,LOCK,HINGES, SS HANDLES,TOWER BOLTS,BALL CATCHES, WOODEN LIPPING,BEDDING,INLAY PATTI &amp; MOULDING ETC. SIZE OF DESK 450MM X 450MM X 400MM HEIGHT &amp; MADE OUT OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,SIDES &amp; BOTTOM,BACK WITH 6 MM THK MR PLY WITH 1 MM THK LAMINATE. ALL AROUND FINISHED WITH 1MM THK LAMINATE ON ALL EXPOSED PLY SURFACES. THE MEASUREMENT OF THE ITEM SHALL BE ON NOs.BASIS</p>
23	<p><b>COMPUTER WORKSTATION</b> ( APPROX SIZE: 4200(L) X 914 (W)X750(H) PROVIDING &amp; FIXING IN POSITION WORKSTATION TABLE IS MADE OUT OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES, BACK &amp; 12 MM THK MR PLY WITH 1 MM THK LAMINATE FOR SHELF. ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ITEM TO BE COMPLETED AS PER DRG &amp; SITE DIRECTIONS.ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,HINGES,LOCKS,SS HANDLES,TOWER BOLTS,BALL CATCHES,WOODEN LIPPING, BEDDING, INLAY PATTI &amp; MOULDING ETC..ALL DRAWERS TO HAVE TELESCOPIC SLIDING DRAWER FITTINGS. DRAWER UNIT SHALL BE WITH 12 MM THKMR PLY WITH 1 MM THK LAMINATE FOR FRONT &amp; SIDES AND 6 MM THK MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; BOTTOM.THIS RATE ALSO INCLUDES COST OF KEY BOARD WITH MOUSE PAD,CPU TROLLY, ETC.</p>

24	SOFAS: PROVIDING & ARRANGING IN POSITION WITH INTERNAL WOODEN FRAME MADE OUT OF 75MM X 38 MM OR AS MENTIONED IN THE DRAWINGS WITH NECESSARY SPRING/RUBBERISED COIR/ POLYURETHENE FOAM/LATEX RUBBER FOAM OF APPROPRIATE THICKNESS AS SHOWN IN THE DRAWING WITH MELAMINE POLISH ON ALL EXPOSED WOODEN SURFACES.AND TAPESTRY CLOTH. BASIC RATE OF FABRIC UPHOLSTERY RS. 600/SQ.MT . THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS .
A.	<b>2-SEATER SOFA, SIZE - 1346(L) X 838(W) X 787(H)</b>
B.	<b>3-seater sofa, SIZE- 1879(L) X 838(W) X 787(H)</b>
25	<b>6 SEATER DINING TABLE:</b> (APPROX SIZE: 2100(L)X 1050(W)X750(H) PROVIDING & ARANGING IN POSITION DINING TABLE IS MADE OUT OF 35 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,12 MM FOR BOTTOM, SIDES, BACK.ITEM TO BE COMPLETED AS PER DRG,SPECIFICATIONS & SITE DIRECTIONS.ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,WOODEN LIPPING, BEDDING, INLAY PATTI & MOULDING ETC.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.
26	<b>DINING CHAIRS :</b> PROVIDING & ARRANGING IN POSITION WITH EXTERNAL WOODEN FRAME MADE OUT OF 50MM X 50 MM WITHOUT ARM REST OR AS MENTIONED/SHOWN IN THE DRAWINGS WITH NECESSARYSPRING/ RUBBERISED COIR/POLYURETHENE FOAM/LATEX RUBBER FOAM OF APPROPRIATE THICKNESS AS SHOWN IN THE DRAWING WITH MELAMINE POLISH ON ALL EXPOSED WOODEN SURFACES.ANDTAPESTRY CLOTH. BASIC RATE OF FABRIC UPHOLSTERY –RS.200/--PER RMT. THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.

27	<p><b>TV UNIT:</b> (2971(L)X380(W))PROVIDING &amp; FIXING IN POSITION TW CABINET WITH STEEL SQUARE FEET LOCATED ON LOWER CABINET WHICH IS MADE OUT OF 19 MM THKMR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES,6 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; 12 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATEFOR SHELF(1 NO). ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ALL EXTERNAL EXPOSED WOODWORK TO BE FINISHED IN MELAMINE POLISH.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.</p>
28	<p><b>SOFA SIDE TABLES</b> (609X609X450) : providing &amp; fixing sofa side tables WITH STEEL SQUARE FEET LOCATED ON LOWER CABINET WHICH IS MADE OUT OF 19 MM THKMR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES,6 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; 12 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATEFOR SHELF(1 NO). ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ALL EXTERNAL EXPOSED WOODWORK TO BE FINISHED IN MELAMINE POLISH.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.</p>
29	<p><b>BED SIDE TABLES</b> (600X600X400) : PROVIDING &amp; FIXING BED SIDE TABLES WITH STEEL SQUARE FEET LOCATED ON LOWER CABINET WHICH IS MADE OUT OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES,6 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; 12 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATEFOR SHELF(1 NO). ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ALL EXTERNAL EXPOSED WOODWORK TO BE FINISHED IN MELAMINE POLISH.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS.</p>

30	<p><b>WARDROBE</b> : (900X600X 2100 mm deep ) providing &amp; fixing in position wardrobe cabinet which is made out of 19 mm thk MR PLY WITH 1 MM THK LAMINATE for top,bottom,sides,6 mm thk MR PLY WITH 1 MM THK LAMINATE for back &amp; 12 mm thkMR PLY WITH 1 MM THK LAMINATE for shelf(1 no). all exposed surfaces to be finished with combination of 1mm thk laminate .the shutters to be made out of 15 mm thk MR PLY WITH 1 MM THK LAMINATE finish. item to be completed as per drg &amp; site directions.item to include all types of hardwares, screws,locks,ss handles,tower bolts,ball catches, wooden finish 2mm thk pvc lipping,bedding,inlay patti,hanger rods &amp; moulding etc. all external exposed woodwork to be finished in melamine polish.all drawers to have telescopic sliding drawer fittings. drawer unit shall be with 12 mm thk pre laminated particle boards for front &amp; sides and 6 mm thk pre laminated particle boards for back &amp; bottom.the measurement of the item shall be on nos.basis.</p>
30(A).	<p><b>JANITOR STORAGE</b> (810 X 500 X 2100 )MM PROVIDING &amp; ERECTING VERTICAL STORAGE 1'-6" DEEP MADE OUT OF 18MM THK MR PLY FRAME WORK FOR SIDES, TOP &amp; BOTTOM, SHELVES (1'-9" C/C), VERTICALS &amp; SHUTTER MADE OUT OF 18MM THICK BWP-710 PLY SHUTTERS WITH NECESSARY C.P.T.WOOD SECTIONS AS PER REQUIRED FOR STORAGE.ALL EXPOSED SURFACES SHALL BE FINISH WITH 1.00MM THICK APPROVED COLOR SOLID CORE LAMINATE AND INTERNALLY 0.8MM THK LAMINATE INCLUDING BRASS HINGES, 9"BRUSH FINISH STAINLESS STEEL / HANDLES, 6" TOWER BOLTS MAGNETIC CATCH ETC.COMplete AS PER DETAIL DRAWING &amp; INSTRUCTIONS OF THE ARCHITECT / BANK.</p>
31	<p><b>TV SHELF</b> :- ( APPROX SIZE : 750MM X 250MM (H) x 250MM ) PROVIDING &amp; FIXING IN POSITION TV SHELF WHICH IS MADE OUT OF 19 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM, AS PER DESIGN. MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS</p>

32	<p><b>DRESSING UNIT:</b> (1800 HT WITH MIRROR X600X450 DEEP) PROVIDING &amp; FIXING IN POSITION WRITING CUM DRESSING UNIT IS MADE OUT OF 19 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES, BACK &amp; 12 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR SHELF. ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE. ITEM TO BE COMPLETED AS PER DRG &amp; SITE DIRECTIONS.ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS, HINGES,LOCKS,SS HANDLES,TOWER BOLTS,BALL CATCHES, WOODEN FINISH 2MM THK PVC LIPPING, BEDDING, INLAY PATTI &amp; MOULDING ETC. ALL EXTERNAL EXPOSED WOODWORK TO BE FINISHED IN MELAMINE POLISH.ALL DRAWERS TO HAVE TELESCOPIC SLIDING DRAWER FITTINGS. DRAWER UNIT SHALL BE WITH 12 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR FRONT &amp; SIDES AND 6 MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; BOTTOM.THIS ALSO INCLUDES 6MM THK.MIRROR OF APPROVED MAKE INCLU.9MM THK BOTH SIDE MR PLY WITH 1 MM THK LAMINATE BACKING WITH NECESSARY WOODEN FRAME WORK ON WALL TO GET THE SURFACE IN PLUMB,LINE &amp; LEVEL.THE EXPOSED WOODEN MEMBERS TO BE MELAMINE POLISH ETC.ALL COMPLETE.THE MEASUREMENT OF THE ITEM SHALL BE ON NOS. BASIS.</p>
33	<p><b>DRESSING CUM STUDY TABLE-</b> (1050(L)X600(W)X750(H)) PROVIDING &amp; FIXING IN POSITION WORKSTATION TABLE IS MADE OUT OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES, BACK &amp; 12 MM THKMR PLY WITH 1 MM THK LAMINATE FOR SHELF. ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ITEM TO BE COMPLETED AS PER DRG &amp; SITE DIRECTIONS.ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,HINGES,LOCKS,SS HANDLES,TOWER BOLTS,BALL CATCHES,WOODEN LIPPING, BEDDING, INLAY PATTI &amp; MOULDING ETC..ALL DRAWERS TO HAVE TELESCOPIC SLIDING DRAWER FITTINGS. DRAWER UNIT SHALL BE WITH 12 MM THKMR PLY WITH 1 MM THK LAMINATE FOR FRONT &amp; SIDES AND 6 MM THK MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; BOTTOM. ETC.</p>

34	<p><b>TEACHER TABLE</b> - (1200 X600 X750) MM PROVIDING &amp; FIXING IS MADE OUT OF 19 MM THK MR PLY WITH 1 MM THK LAMINATE FOR TOP,BOTTOM,SIDES, BACK &amp; 12 MM THKMR PLY WITH 1 MM THK LAMINATE FOR SHELF. ALL EXPOSED SURFACES TO BE FINISHED WITH COMBINATION OF 1MM THK LAMINATE . ITEM TO BE COMPLETED AS PER DRG &amp; SITE DIRECTIONS.ITEM TO INCLUDE ALL TYPES OF HARDWARES, SCREWS,HINGES,LOCKS,SS HANDLES,TOWER BOLTS,BALL CATCHES,WOODEN LIPPING, BEDDING, INLAY PATTI &amp; MOULDING ETC..ALL DRAWERS TO HAVE TELESCOPIC SLIDING DRAWER FITTINGS. DRAWER UNIT SHALL BE WITH 12 MM THKMR PLY WITH 1 MM THK LAMINATE FOR FRONT &amp; SIDES AND 6 MM THK MR PLY WITH 1 MM THK LAMINATE FOR BACK &amp; BOTTOM. ETC.</p>
35	<p><b>WRITING / DRESSING CHAIRS</b> :PROVIDING &amp; ARRANGING IN POSITION WITH INTERNAL WOODEN FRAME MADE OUT OF 75MM X 38 MM OR AS MENTIONED IN THE DRAWINGS WITH NECESSARY SPRING/RUBBERISED COIR/POLYURETHENE FOAM/LATEX RUBBER FOAM OF APPROPRIATE THICKNESS AS SHOWN IN THE DRAWING WITH MELAMINE POLISH ON ALL EXPOSED WOODEN SURFACES.AND TAPESTRY CLOTH. BASIC RATE OF FABRIC UPHOLSTERY –RS.200/--PER RMT. THE MEASUREMENT OF THE ITEM SHALL BE ON NOS.BASIS</p>
36	<p><b>TOILET MIRROR -</b></p>
	<p>PROVIDING AND FIXING 6 MM TH. MIRROR ON 12 MM TH. MR PLY 304 GRADE WITH T. W. FRAMING , S. S. STUDS ETC. COMPLETE.</p>
A	<p>MIRROR SIZE - (450 X600)MM</p>
B	<p>MIRROR SIZE - (450 X 1500)MM</p>
C	<p>MIRROR SIZE -( 600 X 600 )MM</p>
D	<p>MIRROR SIZE - (600 X 750)MM</p>
<b>TOTAL AMOUNT (RS.)</b>	

note:

1. Product shall be delivered to RSETI AHMEDNAGAR Building at NIMBLAK c  
breakage, etc. However, in case of any minor repair arising out of transporta  
immediately by the supplier without any extra cost.

		DATE : 09.04.2022		
<b>UNIT</b>	<b>QTY</b>	<b>MODEL</b>	<b>RATE (Rs.)</b>	<b>AMOUNT (Rs.)</b>
nos.	2			
nos.	16			
				
nos.	2			
nos.	3			

nos.	24			
				
nos.	6			
nos.	32			
nos.	1			

nos.	1			
nos.	1			
nos.	8			
nos.	1			
nos.	4			

nos.	2			
nos.	10			
nos.	2			
nos.	28			

nos.	6			
------	---	---	--	--

nos.	1			
nos.	108			

nos.	12			
sqmt	15			

RMT	3.65			
-----	------	---	--	--

NOS.	1			
RMT	8.25			

				
nos.	1			
nos.	1			
nos.	1			
nos.	6			

nos.	1			
nos.	2			
nos.	3			

nos.	4			
nos.	1			
nos.	4			

nos.	2			
nos.	2			

	3			
nos.	4			
				
nos.	20			
nos.	2			
nos.	4			
nos.	2			

covered with Bubble Sheet to avoid any tion, etc, the same shall be repaired I replaced	

**SEAL & SIGN OF CONTRACTOR**